

THE DESIGN AND DETAILS DISCLOSED HEREIN ARE THE EXCLUSIVE PROPERTY OF CARLIN MANUFACTURING LLC. AND SHALL NOT BE COPIED OR REPRODUCED IN WHOLE OR IN PART WITHOUT THE PRIOR WRITTEN CONSENT OF CARLIN MANUFACTURING LLC.  
© 2006 CARLIN MANUFACTURING LLC.

E	CHANGED UNITS	09-22-06
F	CHANGED EQUIPMENT	10-23-06
G	ROTATED EQUIPMENT	01-18-07
H	REMOVED DOOR FROM 561	02-13-07

REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
	A	CHANGED LAYOUT	1-31-06	
	B	REMOVED TABLES & SHELF	2-1-06	
	C	ADDED NEW EQUIPMENT	05-05-06	
	D	ADDED HOOD NOTE	08-22-06	

**EQUIPMENT LIST:**

- A. KITCHEN UNIT (561)
- B. PREP UNIT (562)
- C. PREP UNIT (575)
- D. PREP UNIT (576)
- E. WASH UNIT (569)
- F. 8' X 20' WALK-IN COOLER
- G. 8' X 20' WALK-IN FREEZER

**FINISH SCHEDULE**

FLOOR: POURED FIBER RESIN THAT CONTINUES UP TO THE WALL FOUR INCHES WITH A 3/8" INCH RADIUS COVE AS A INTEGRAL UNIT

CEILING: FIBERGLASS REINFORCED PLASTIC (FRP)

WALLS: FIBERGLASS REINFORCED PLASTIC (FRP)

COUNTER: STAINLESS STEEL 18 GA, TYPE 304, FINISH #4, HORIZONTAL GRAIN BEHIND COOKING LINE

SHELVING: STAINLESS STEEL 16 GA, TYPE 304, FISISH #4, HORIZONTAL GRAIN

EQUIPMENT: MOUNTED LOOSE, SECURE FOR TRANSPORT.

**INSTALLATION:**

ANY GAP LESS THAN 3/8" WIDE TO BE SEALED WITH A SMOOTH SEMI-PERMANENT APPROVED FOOD GRADE CAULK JOINT.

ANY GAP LARGER THAN 3/8" REQUIRES THE USE OF A CAULK BACK MATERIAL.

ALL SHARP EDGES TO BE SMOOTHED

USE 3/16 RIVETS ON ALL STAINLESS RIVETING

ALL VENTS MUST HAVE SCREENS

"ALL HOOD SYSTEMS MEET THE REQUIREMENTS OF NFPA 96 AND THE SUPPRESSION SYSTEMS THAT OF NFPA17A"

**NOTE:**  
Tie down requirements meet the minimum Florida hurricane requirements.

**FLOOR PLAN**

**Kitchens To Go**

HCA AVENTURA HOSPITAL  
MODULAR KITCHEN COMPLEX

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:	FRACTIONS 1/16 XXX ± .06	DECIMALS .000 ± .005
DO NOT SCALE DRAWINGS	DRAWINGS PREPARED IN ACCORDANCE WITH MIL-T-3100, MIL-STD-100, AND ANSI Y14.5	
SIZE B	CAGE CODE 092A01-0-01	REV. H
SCALE 1/8" = 1' - 0"	CALC. WT. ACT. WT.	SHEET

UNIT NO. 05-092B	<b>CARLIN</b> MANUFACTURING, L.L.C.	
APPROVALS	DATE	FLOOR PLAN AND EQUIPMENT LIST
DRAWN MSM	09-22-06	
CHECKED		
ENGR		
DESIGN ACTIVITY		SIZE B
REV.		CAGE CODE 092A01-0-01
		DWG. NO. 092A01-0-01
		SCALE 1/8" = 1' - 0"
		CALC. WT. ACT. WT.
		SHEET

D  
C  
B  
A

D  
C  
B  
A

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1

