


Please note: This drawing shows a typical configuration of equipment and does not necessarily show the equipment currently installed in the unit. Verify the specific equipment currently in the unit with a KTG representative.

THE DESIGN AND DETAILS DISCLOSED HEREIN ARE THE EXCLUSIVE PROPERTY OF CARLIN MANUFACTURING LLC. AND SHALL NOT BE COPIED OR REPRODUCED IN WHOLE OR IN PART WITHOUT THE PRIOR WRITTEN CONSENT OF CARLIN MANUFACTURING LLC. © 2005 CARLIN MANUFACTURING LLC.

REVISIONS			
ZONE	REV	DESCRIPTION	DATE

NOTES:

1. ALL LINES SHALL BE ADEQUATELY SUPPORTED WITH GALV. STL. 2 HOLE STRAPS AT 3' O.C. MAX. TO WITHSTAND NORMAL ROAD AND OFF-ROAD (ROUGH TERRAIN) CONDITIONS.
2. ALWAYS USE ROUND RUBBER GROMMETS WHENEVER PLUMBING LINES RUN THRU METAL PLATES, SKIN, CURB, ETC.
3. ALL PLUMBING LINES SHALL BE OF ABS MATERIAL, UNLESS OTHERWISE SPECIFIED.
4. SEWER LINES FROM FLOOR SINKS SHALL ALL BE CAST IRON (C.I.) EXCEPT VENT LINES, OTHERWISE USE ABS MATERIAL.
5. FLOOR SINKS SHALL BE MOUNTED FLUSH WITH FINISHED FLOOR.



SYMBOL	DESCRIPTION
	P-TRAP
	FLOOR SINK
	SINK
	TEE
	TEEWYVE LONG RADIUS
	ELBOW 90°
	VENT LINE
	VENT LINE THROUGH ROOF
	CONDENSATE RECEPTOR
	CLEAN OUT
	REDUCER
	VALVE
	DRIP PAN
	BAYONETTE VALVE
	QUICK DISCONNECT

Kitchens To Go

KTG-551
MODULAR KITCHEN UNIT

REV. B	CARLIN CODE	DWG. NO.	REV.
		551P02-0-01	
SCALE 1:2	DWG. REVISIONS	SHEET	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FINISHES: DIMENALS FINISH 1/16 30±.3 28 ANG ± .01 300±.7 258 DO NOT SCALE DRAWINGS DIMENSIONS PREPARED IN ACCORDANCE WITH MIL-C-2600, MIL-STD-201 AND ANSI Y14.5

DWG. NO. KTG-551		CARLIN MANUFACTURING LLC	
APPROVALS	DATE	WASTE WATER PLUMBING SCHEMATIC	
DRAWN: GSF	08-24-05	SIZE: B	DWG. NO. 551P02-0-01
DESIGNED:		SCALE: 1:2	DWG. REVISIONS: SHEET
CHECKED:			
ISSUED:			
REV.:			